


KONCERTNA DVORANA VATROSLAVA LISINSKOG

VELIKA DVORANA - 1918 sjedala

□ U REDOVITOJ PRODAJI 1810
PODIJ (opcija) 108
UKUPNO 1918

■ SLUŽBENA MJESTA 38



TEHNIČKI PODACI VELIKE DVORANE

- Dvorana nema vlastiti parking, već se koristi parking u vlasništvu Matice iseljenika Hrvatske. Pristup vozilima parkingu (sjeverno) od dvorane moguć je uz prethodnu najavu:
 - sa istoka (za vozila niža od 3,6m) iz Trnjanske ulice.
 - zapadno, sa Trga Stjepana Radića.
- Dimenzije utovarnog ulaza (vrata br.17) su 2,5 x 3m.
- Hodnikom dimenzija 2,5 x 2m duljine 30m dolazi se do vrata teretne platforme dimenzija 3 x 2m. Platforma je nosivosti 2t i dimenzija 3x2m. Visinska razlika od prizemlja do pozornice velike dvorane je 12m. Platforma ima jednu postaju na razini visokog prizemlja (soba br.114).
- Velika dvorana je površine 1440m² i ima 1848 stolaca. Pozornica velike dvorane je u boji drveta od hrastovog parketa, ukupne površine 300m² i izvedena je u više nivoa. Širina na najširem dijelu je 25m a na najdubljem je 13m. Maksimalna iskoristiva površina pravokutnog oblika u jednom nivou je 13m x 9m. Maksimalna iskoristiva visina u tim mjerama je 8m. Nosivost pozornice je 200 kg/m². Pozornica u stražnjem dijelu ima tri motorizirana praktikabla od kojih svaki može biti postavljen na željenu visinu do + 0,5m u odnosu na nivo pozornice. U pozornici se nalazi projekcijsko platno na roli 19 x 9 m koje se pomoću uzvaka odmotava i podiže do kote stropa iznad pozornice. Stražnja stijena pozornice su motorizirana vrata od orgulja dimenzija 13 x 6 m. Zidovi dvorane su od drveta tamno smeđe boje. Uz stražnju stijenu (ispred vrata orgulja) narolano na motoriziranom ovjesu smješteno je projekcijsko platno 13m x 6m.

- Od elektroenergetskih priključaka 4 kom. 230V/16A schuko utičnica je raspoređeno po pozornici a dva 400V/63A CEE smještena su na lijevoj strani pozornice (gledano iz gledališta) Na elektroenergetskom razvodnom ormaru (u prizemlju) još postoje dva 400V/125A CEE priključka od kuda se prema potrebi mogu povući dodatni kablovi do pozornice.

OZVUČENJE U VELIKOJ DVORANI

LARGE HALL SOUND

P.A. - JBL Vertec line array VT 4888DP + 4882DP 40 kW

F.O.H. - Yamaha PM5D-RH (48channels)

SURROUND - JBL Control 322C

MIXING CONSOLE IN THE SOUND CONTROLL ROOM - Yamaha DM-2000 (24 channels)

MONITORING - Mixing console - Yamaha M7CL (48 channels)

VEDGES - JBL SRX 712M (12 pcs.), VRX 915M (2 pieces)

SPLITTER - Klark Teknik DN 1248 (60 channels)

MICROPHONE LIST

WIRED

| PRODUCED BY | MODEL | QUANTITY |
|-------------|-------------|----------|
| AKG | | |
| | D-12 | 1 |
| | D-112 | 1 |
| | C-451B | 16 |
| | C-414 B-XLS | 6 |
| | C-411L | 6 |

| | | |
|----------------|--------------|----|
| | C-419 | 6 |
| | C-480B+CK69 | 4 |
| | C-547BL | 2 |
| | C-747 V11 | 2 |
| | DRUM SET BIG | 2 |
| AUDIO TECHNICA | | |
| | ATM-350 | 14 |
| SHURE | | |
| | SM-57 | 6 |
| | SM-57A-BETA | 6 |
| | SM-58 | 10 |
| | SM-58A-BETA | 10 |
| | SM-87C-BETA | 10 |
| | SM-81 | 3 |
| SENNHEISER | | |
| | MD 421 | 8 |
| | MD-441 | 8 |
| ELECTROVOICE | | |
| | RE-20 | 2 |
| SOUNDFIELD | | |
| | MKV | 1 |

WIRELESS

| PRODUCED BY | MODEL | QUANTITY |
|-------------|----------------|----------|
| SHURE | UHF-R | |
| | UR4D | 6 |
| | UR/2BETA 87C | 6 |
| | ULX-D | |
| | ULXD1/DPA 4288 | 4 |
| | ULXD2/B58 | 4 |

D.I. BOX

| PRODUCED BY | MODEL | QUANTITY |
|-------------|--------|----------|
| BSS Audio | AR-133 | 10 |

PROJEKCIJSKA PLATNA U VELIKOJ DVORANI

LARGE HALL PROJECTION SCREENS

PROJECTION SCREEN - 19 x 9,5m
PROJECTION SCREEN - 13 x 6m
PROJECTION SCREEN – 4 x 3m (2 pieces)

SIMULTANO PREVOĐENJE / KONFERENCIJSKI SUSTAV

SIMULTANEOUS INTERPRETATION SYSTEM

DIS, DCS-6000, 9 languages, 1200 receivers

RASVJETA U VELIKOJ DVORANI

LARGE HALL LIGHTING

Lighting control: AVOLITES ARENA

A) Backlights

20 pcs. ETC Source four PAR 575 W

6 pcs. ETC Source four Zoom (profile 15/30) 750 W
6 pcs. moving head Martin Mac 700 W (wash)
6 pcs. moving head Martin Mac 700 W (profile)

B) Toplights

13 pcs. PAR 64 1000W
12 pcs. ETC Source four PAR 575 W
10 pcs. ARRI ST 2kW
6 pcs. moving head Martin Mac 2000 (1200 W), (wash)

C) Frontlights

10 pcs. ETC Source four Zoom (profile 15/30 750W)
6 pcs. ARRI ST 5kW
4 pcs. ARRI ST 2kW

HAZER MDG ATM e

Total: 109 fixtures

Total max. power : 133 kW

VELIKA DVORANA – PRESJEK
LARGE HALL CROSSSECTION

